

DRAFT

Transportation and Land Use Technical Working Group
Brief Descriptions of Potential State Actions

(Note: This listing is incomplete and will be fleshed out during the Technical Work Group process. Technical Work Group members are encouraged to provide input to the Technical Work Group facilitators on existing policies and programs, where relevant. Additional details will be added to this document under each of the option descriptions, as they are provided.)

T-1 VEHICLE/EQUIPMENT TECHNOLOGY

1.1 Clean Car Program

A Clean Car Program is also known as the “Pavley” standards or the California GHG Emissions Standards. These standards can be adopted to reduce GHG emissions from new light-duty vehicles. New cars and light trucks in all states must comply with federal emission standards, and, generally speaking, states have the choice of adopting a stronger set of standards applicable in California. The standards require manufacturers to meet a declining fleet-wide average standard for GHG emissions per mile. A state can also include other smog- and soot-forming pollutants in this plan.

With the recently enacted increase in the federal Corporate Average Fuel Economy (CAFE) standards for light duty vehicles, the benefits of this policy are more limited than they were previously. Nonetheless, state adoption of the Clean Car Program would reduce GHG emissions by an additional approximately 3% on top of the CAFÉ standards. And if California adopted further tighter standards, other states could follow suit. At least 12 states have adopted or are in the process of adopting California’s standards.

1.2 Fuel-Efficient Tires

Fuel-efficient tires may also be referred to as low rolling resistance tires. Fuel economy can be improved on light-duty vehicles by setting minimum energy efficiency standards for replacement tires. Typically, energy efficient tires are used on new models. But lower rolling resistant replacement tires may not be readily available to consumers and there is little information regarding the fuel economy of replacement tires.

1.3 Heavy Duty Vehicle Fuel Efficiency Improvements

The fuel efficiency of freight trucks can be improved using a variety of equipment modifications (e.g., aerodynamic devices, wide-base tires, fuel efficient lubricants) as well as driver training. Government agencies can promote truck fuel efficiency improvements with incentives and

outreach. This option could also provide incentives for or discounts to transit agencies for the purchase of hybrid and/or other cleaner-technology buses

1.4 Vehicle Purchase or Registration Incentives

The state could adopt a variety of programs to increase purchase of fuel-efficient or low-GHG vehicles (including pure electric, hybrid, plug-in hybrid, and other alternative fuel vehicles). State incentives could include registration fees, feebates, and/or tax credits. Higher vehicle registration fees can be charged for vehicles that have lower fuel economy, and/or vehicles that use alternative fuels or hybrid vehicles could be charged a lower vehicle registration fee. Vehicle licensing fees could be based upon vehicle weight, with use of a dollar per vehicle-ton multiplier instead of the present broad categories of vehicle weight. “Feebates” would provide incentives for reduced GHG emissions by creating: (1) fees on relatively high emissions/lower fuel economy vehicles and (2) rebates or tax credits on low emissions/higher fuel economy vehicles. Tax credits can be offered for the first time purchase of a hybrid, alternative fuel vehicle, or other set of specifications that incorporate low-GHG emission standards. The state could also adopt other programs to more broadly promote flexible-fuel strategies to support a range of alternative vehicle types as opposed to those that currently operate on petroleum-based fuels.

1.5 Incentives to Retire or Improve Older High-GHG Vehicles

Incentives can be used to retire older passenger vehicles with poor fuel economy. Because of the energy input required for manufacture of new vehicles, keeping low-GHG emitters in the fleet longer will provide benefits if well maintained. Incentives for or discounts to transit agencies for the purchase of hybrid and/or other cleaner-technology buses.

T-2 VEHICLE OPERATION AND SYSTEM EFFICIENCY

2.1 Lower and/or Enforce Speed Limits

Reduced vehicle speeds improve fuel economy, reduce CO₂ emissions, and improve safety. This could be implemented by requiring freeways and major arterials to be signed with a maximum speed that is lower than the current speed. Significant enforcement resources may be needed for this measure to achieve the expected reductions.

2.2 Driver and Alternative Transportation Education

Better consumer information and education can lead to a gain in fuel efficiency. Consumer education could promote the use of “best in class” vehicle guides that provide comparative fuel efficiency information and could also provide associated vehicle GHG emissions. Drivers also need to be aware of maintenance issues that cause an increase in pollution and vehicle operating cost. Additionally, education could be geared to encourage energy-efficient driving habits as well as encourage the use of alternative modes of transportation (e.g., how to use public transportation; how to commute to work by bike, etc.).

2.3 Vehicle Idling Regulations and/or Alternatives

Vehicle idling can be reduced by adopting anti-idling ordinances. Many states and local governments have adopted idling regulations for trucks and buses. Idling reductions could also be considered for other vehicle types and fleets, such as taxis.

Alternatives to long-term truck idling include the use of technologies such as automatic engine shut down/start-up system controls, direct-fired heaters, auxiliary power units, and truck stop electrification. Truck idling time can also be reduced through the pre-clearance at highway truck weigh stations and expanded use of weigh-in-motion systems.

2.4 Transportation System Management

Transportation system management improves vehicle flow on the roadway system, which can reduce fuel use and GHG emissions. Coordinated operation of the regional transportation network can improve system efficiency, reliability, and safety. Tools to reduce traffic congestion include roundabouts at intersections, synchronized signals, incident management, variable message signs, and other forms of intelligent transportation systems (ITS).

T-3 ALTERNATIVE FUELS

3.1 Low Carbon Fuel Standard

This option seeks to reduce GHG emissions by decreasing the carbon intensity of all transportation fuels sold in Alaska. The Low Carbon Fuel Standard (LCFS) would require all fuel providers in Alaska to ensure the mix of fuel they sell into the Alaska market meets, on average, a declining standard for GHG emissions measured in CO₂ equivalent gram per unit of fuel energy sold. Low carbon fuels include biodiesel, cellulosic ethanol, hydrogen, compressed natural gas, liquefied petroleum gas, and electricity.

The standard would be measured on a lifecycle basis in order to include all emissions from fuel production to consumption. Options for compliance may include: blending or selling increasing amounts of lower carbon fuels, using previously banked credits, and purchasing credits from fuel providers who earned credits by exceeding the standard.

3.2 Renewable Fuel Standard

The state can adopt standards that require a certain amount or percentage of fuel sold within the state to be a renewable fuel (e.g., ethanol or biodiesel). This percentage can gradually increase over time. The State can help facilitate transition to renewable fuels by regulating quality standards for fuel blends.

3.3 Alternative Fuel Mandates for Fleets

Governments can mandate that public and private vehicle fleets include alternative fuel vehicles, typically targeting a certain percentage of penetration within a certain period of time. These mandates could be used to require pure electric vehicles and/or plug-in electric vehicles for fleets.

3.4 Alternative Fuel Production Incentives

Various incentives can encourage companies to continue or begin producing alternative fuels. The incentives can come in many different forms, such as granting state tax credits based on the amount of alternative fuel produced, reduced taxes for alternative fuel production facilities, or providing loans or grants to companies that are producing or want to produce alternative fuel. Additionally, the state can organize a public/private fuel-buying consortium that enters a long-term contract with a supplier to help overcome the risk of producing fuel. Application of these incentives should consider the full cycle of energy and GHG impacts. The State will need to regulate quality standards for alternative fuels.

3.5 Alternative Fuel Infrastructure Development

The development of an alternative fuel infrastructure can aid in the promotion of alternative fuel usage. The expense of equipment and installation costs can be offset by creating an infrastructure. The convenient locations of stations offering alternative fuels at competitive prices can increase the usage of the fuel.

T-4 TRAVEL DEMAND MANAGEMENT

4.1 Promote Efficient Development Patterns

Efficient land development patterns reduce VMT and emissions while helping to conserve natural resource land and natural areas. This option aims to promote more efficient development through one or more of the following strategies:

- Planning activities, incentives, and/or regulatory changes to encourage “brownfields” development or other types of infill development.
- Planning activities, incentives, and/or regulatory changes to limit urban growth areas while increasing residential density.
- Incentives or requirements to designate centers for employment and housing, possibly with incentives or requirements that new infrastructure planning and investments reflect these growth nodes.
- Targeted open space protection includes programs designed to protect and conserve State lands and other open spaces, and develop and improve neighborhood, community, and regional parks in ways that encourage location-efficient growth and broader mode choice.

4.2 VMT and GHG Reduction Goals in Planning

Transportation agencies (ADOT&PF, MPOs) could adopt VMT or GHG reduction goals as part of the transportation planning process. These agencies would be required to quantify the GHG emissions resulting from long-range transportation plans and transportation programs. In addition to plans and programs, quantification of impacts could be determined for projects and corridors.

The state could also require local governments to adopt a schedule for VMT and/or GHG emission reductions as part of the local planning process. Local governments would be provided with guidance for achieving these goals. This option would ensure that local government

planning decisions are consistent with VMT and/or GHGs reductions to which they have committed.

4.3 Ridesharing and Transit Promotion

Ridesharing programs are designed to reduce vehicle trips and vehicle miles traveled by providing assistance and encouragement to individuals and employers to use carpools and vanpools. Government agencies can establish and expand ridesharing programs, provide incentives or assistance for others to do so, and provide supportive infrastructure (e.g., park and ride lots). This option could also involve promotion and marketing of transit, and/or reduction in transit fares. It could also involve expansion of Commuter Choice Programs, which encourage employers to provide options such as telecommuting, transit subsidies, pre-tax transit fare program, and guaranteed ride-home service in order to reduce automobile commutes.

4.4 Expand and/or Improve Existing Transit Service

Greater use of public transit and reduction in automobile travel can be achieved by expanding and/or improving existing transit service. This option also could include expansion of intercity bus or rail service.

4.5 Bicycle and Pedestrian System Improvements

Improving, adding, and promoting sidewalks and bikeways can increase the pedestrian and bicycle activity and reduce automobile use. Infrastructure improvements could include bicycle parking and shower/locker amenities at places of employment. Local government “complete streets” policies would help to achieve these improvements.

4.6 Pay-as-You-Drive Automobile Insurance

The state would encourage and support the provision of pay-as-you-drive auto insurance. With pay-as-you-drive insurance, a portion of premium is assessed on a per-mile basis, thereby providing an incentive for vehicle owners to drive less. This option might include state support for pilot programs.

T-5 AIRCRAFT AND AIRPORT STRATEGIES

5.1 Aircraft Efficiency Improvements

Newer and more efficient aircraft use less fuel and produce fewer GHG emissions. Substitution of larger aircraft means less fuel use per seat mile. Fuel efficiency of existing aircraft can be improved through maintenance practices (drag reduction, engine water wash, etc.), weight reduction (lighter weight components and containers, etc.), and operational improvements (reduced APU usage, etc.).

5.2 Alternative Fuels for Airport Ground Support Equipment

Airport ground support equipment (GSE) include aircraft and baggage tow tractors, ground power units, air start units, and medium and light-duty trucks for such operations as refueling and de-icing. Airports can reduce emissions from ground equipment by using alternative fuels (natural gas, propane, electrification). This option could also include use of fixed gate-based support equipment to eliminate mobile GSE.

T-6 MARINE TRANSPORTATION STRATEGIES

6.1 Ferry Operational Improvements

Changes in operating practices can potentially reduce fuel use and emissions from ferries. One example involves the installation of positive restraints to hold ferries steady during loading operations instead of keeping propellers rotating.

6.2 Ferry Engine Efficiency Improvements

Ferry engine systems can be modified to enable ferries to run on fewer engines. Older, inefficient ferry engines can be replaced with newer more efficient engines. Waste heat recovery systems can be installed on ferries to replace boilers, thereby reducing fuel use and GHG emissions.

6.3 Alternative Fuels for Ferries, Fishing Boats, or other Harbor Craft

This strategy would involve substituting biodiesel fuel for conventional diesel in harbor craft propulsion and auxiliary engines. Biodiesel fuels are derived from a variety of renewable sources such as vegetable oil, animal fat and cooking oil, and are used alone or blended with diesel fuel. Most diesel engines can operate using a blend of 20% biodiesel (B20) without modification. The use of B20 is estimated to reduce life-cycle GHG emissions by approximately 10% compared to conventional diesel.

6.4 Shore Power/Cold Ironing

Emissions from vessels at berth can be reduced by providing shore power. So-called “cold ironing” enables ships to shut down their auxiliary engines and run off the shore-side electrical power grid to supply power at the dock for refrigeration, lighting, climate control, and other needs. To support shore power, the port or terminal operator must install necessary shore-side infrastructure, and ship owners must retrofit their ships to accommodate shore power through a connection interface with the ship’s main electrical panel.

6.5 Alternative Fuels for Port Cargo Handling Equipment

Cargo handling equipment (CHE) at ports and rail yards include yard tractors, cranes, forklifts, container handlers (e.g., top picks and side picks), and bulk handling equipment such as tractors, loaders, dozers, excavators, and backhoes. Some of this equipment can use alternative fuels to reduce GHG emissions. Options include biodiesel, natural gas, propane, and electrification.

T-7 RAILROAD TRANSPORTATION STRATEGIES

7.1 Railroad Improvements for Freight

This option focuses on the improvements to railroad infrastructure and other strategies to encourage more use of freight rail. In this way, transport of freight can be shifted from the roadway system to rail. In many cases, carrying freight by railroads rather than truck can reduce emissions and fuel consumption.

7.2 Locomotive Idle Reduction

There are a number of strategies to reduce idling times of locomotive line-haul and switching engines when there is no operational need for the engine to idle. These can involve operator training and use of technologies such as an auxiliary power unit (APU) or an automatic engine start-stop (AESS) device. The new EPA standards for locomotives require idle reduction systems on newly manufactured locomotives.

7.3 Efficient Switcher Locomotives

Several types of switcher locomotives can reduce fuel use and emissions. Hybrid-electric locomotives (such as the “Green Goat”) use a small, low-emission diesel engine to charge a battery pack that powers the traction motors. These engines can also recover braking energy to improve fuel efficiency. Generator set (“Gen Set”) locomotives use a series of smaller diesel engines (each approximately 700 horsepower) to directly power the traction motors. One or two of the engines can be shut down in operations with lower power demand, saving fuel and reducing emissions.